

L Number	Hits	Search Text	DB	Time stamp
-	125	worst adj case adj path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 09:41
-	30	worst adj case adj path and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:20
-	6	dominator adj block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:40
-	2	post\$dominator adj block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:43
-	22	allocation same function adj call same routine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 09:51
-	318	allocat\$5 same function adj call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 09:52
-	36	allocat\$5 same function adj call same routine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 12:14
-	566	insert near instruction\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 12:14
-	2	insert near instruction\$2 with allocation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 12:21
-	1	allocate same live near information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 12:23
-	8	allocate same live near (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 13:40
-	356	insert\$3 near5 instruction\$2 near5 (invok\$4 or function or call\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 14:15
-	65	allocat\$5 near5 function adj call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 14:48

-	442	dynamic adj allocation and instruction and function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 14:50
-	22	dynamic adj allocation with instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:01
-	8	dynamic adj allocation with instruction same register\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 14:51
-	18	dynamic adj allocation with routine\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:09
-	16	dynamic near5 register\$2 adj allocation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:38
-	3	dynamic near register near allocation.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:41
-	944	(method or apparatus or program) same (insert\$5 or allocat\$%) near instruction\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 10:21
-	16	(method or apparatus or program) same (insert\$5 near5 allocat\$5 near5 instruction\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 10:39
-	80	call adj function\$2 near5 instruction\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 11:39
-	33	call adj function\$2 near5 instruction\$2 same (\$routine or program or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 12:29
-	166	live adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 13:55
-	2	live adj information same allocat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 14:01
-	4	(live or useful or valid or fresh) adj information same execut\$5 near allocat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 14:06

-	221	(live or useful or valid or fresh) adj information same allocat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 15:02
-	73	(live or useful or valid or fresh) adj information with allocat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 15:48
-	2011	(live or useful or valid or fresh) adj information same ("before" or "after")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 15:49
-	4	(live or useful or valid or fresh) adj information same ("before" or "after") same function adj call\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 15:52
-	3	post\$dominator near5 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 16:50
-	126	exit adj block same routine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 16:52
-	106	(exit adj block same routine) and function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 16:53
-	5	(exit adj block same routine) and function adj call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 16:52
-	57	(exit adj block same routine) and call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 16:54
-	25	(exit adj block same routine) same call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 17:00
-	99	allocate same worst adj case	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 17:12
-	43	allocate same worst adj case and register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 17:12
-	16	allocate same worst adj case same (memory near5 allocat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 17:17

-	10	live adj information same local	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/04 13:25
-	8	live adj variable\$2 same local	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/04 16:46
-	138	register adj space same (partition\$5 or divid\$4 or allocat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/04 16:49
-	67	register adj space with (partition\$5 or divid\$4 or allocat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/04 16:55
-	67	(register adj space with (partition\$5 or divid\$4 or allocat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/04 16:56
-	7	(register adj space with (partition\$5 or divid\$4 or allocat\$4)) same (global or local)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/04 16:56
-	716	(live or use) near5 analy\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 08:19
-	32	(live or use) near5 analy\$5 and (function adj call)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 08:46
-	4	(live or use) near5 analy\$5 same (function adj call)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 09:30
-	6	(live near variable near analysis) same (register near allocation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 08:52
-	12	(local adj allocatiob) or (local adj register adj allocation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 09:28
-	6	(identify or determine) near5 (live adj (information or variable\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 10:02
-	8	exit adj block and live near5 (code or information or variable\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 11:04

-	27	((function or subroutine) adj call) and (live adj (information or code or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 11:16
-	27	(identify\$4 or determin\$5) near5 live and (insert or replace) near5 instruction\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 12:47
-	8	post\$dominator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 12:56
-	1	determine near5 live adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 13:15
-	3	determine near5 live adj variables	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 13:16
-	21	optimize and live adj variables	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 14:04
-	22	exit adj block and worst adj case	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:10
-	3	(exit adj block) and (worst adj case) and allocate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:14
-	8	post\$dominator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:24
-	1	radigan.in. and (chaki.xa. or chaki.xp.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:25
-	219	worst adj case and compiler and allocate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 09:42
-	7	worst adj case and compiler and allocate adj register\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 10:08
-	1	worst adj case and compiler and allocate adj registers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 09:43

-	115	allocate adj register\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 10:09
-	8	post\$dominator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:37
-	19	register adj space near5 common	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:27
-	3	register near5 overlap and common adj register\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:54
-	593	register near5 overlap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 11:59
-	26	entry adj block same allocation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:17
-	480	register adj allocation and block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:17
-	22	register adj allocation and entry adj block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:18
-	22	(register adj allocation) and (entry adj block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:19
-	16	entry adj block same allocate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:27
-	649	register adj allocation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 12:35